

PUBLIKATIONSLISTE - Univ.-Prof. Dr. CHRISTA NEUPER**I. ARTIKEL IN FACHZEITSCHRIFTEN (PEER-REVIEWED)**

- [1] Grabner RH, Ischebeck A, Reishofer G, Koschutnig K, Delazer M, Ebner F, Stern E, **Neuper C**.
Fact learning in complex arithmetic and figural-spatial tasks: The role of the angular gyrus and its relation to mathematical competence.
Human Brain Mapping, (in press).
- [2] Fink A, Grabner RH, Benedek M, Reishofer G, Hauswirth V, Fally M, **Neuper C**, Ebner F, Neubauer AC (2009).
The creative brain: Investigation of brain activity during creative problem solving by means of EEG and fMRI.
Human Brain Mapping, 30, 734-748.
- [3] Friedrich EVC, MsFarland DJ, **Neuper C**, Vaughan TM, Brunner P, Wolpaw, JR (2009).
A scanning protocol for a sensorimotor rhythm-based brain-computer interface.
Biological Psychology, 80, 196-175.
- [4] Grabner RH, Ansari D, Koschutnig K, Reishofer G, Ebner F, **Neuper C** (2009).
To retrieve or to calculate? Left angular gyrus mediates the retrieval of arithmetic facts during problem solving.
Neuropsychologia, 47, 604-608.
- [5] **Neuper C**, Scherer R, Wriessnegger SC, Pfurtscheller G (2009).
Motor imagery and action observation: modulation of sensorimotor brain rhythms during mental control of a brain-computer interface.
Clinical Neurophysiology, 120, 239-247.
- [6] Enzinger C, Ropele S, Fazekas F, Loitfelder M, Gorani F, Seifert T, Reiter G, **Neuper C**, Pfurtscheller G, Müller-Putz G (2008).
Brain motor system function in a patient with complete signal cord injury following extensive brain-computer interface training.
Experimental Brain Research, 190, 215-223.
- [7] Grabner RH, Popotnig F, Ropele S, **Neuper C**, Gorani F, Petrovic K, Ebner F, Strasser-Fuchs S, Fazekas F, Enzinger C (2008).
Brain activation patterns elicited by the “Faces Symbol Test” – a pilot fMRI study.
Multiple Sclerosis Journal, 14, 354-363.
- [8] Grabner RH, Ansari D, Reishofer G, Stern E, Ebner F, **Neuper C** (2007).
Individual differences in mathematical competence predict parietal brain activation during mental calculation.
NeuroImage, 38(2), 346-356.
- [9] Grabner RH, Brunner C, Leeb R, **Neuper C**, Pfurtscheller G (2007).
Event-related EEG theta and alpha band oscillatory responses during language translation.
Brain Research Bulletin, 72 (1), 57-65.

- [10] Pfurtscheller G, Grabner RH, Brunner C, **Neuper C** (2007). Phasic heart rate changes during word translation of different difficulties. *Psychophysiology*, 44, 807-813.
- [11] Pfurtscheller G, Scherer R, Leeb R, Keinrath C, **Neuper C**, Lee F, Graimann B, Schlögl A, Bischof H (2007). Viewing moving objects in Virtual Reality can change the dynamics of sensorimotor EEG rhythms. *Presence*, 16(1), 111-118.
- [12] Scherer R, Mohapp A, Grieshofer P, Pfurtscheller G, **Neuper C** (2007). Sensorimotor EEG patterns during motor imagery in hemiparetic stroke patients *International Journal of Bioelectromagnetism*, 9(3), 155-162.
- [13] Wriessnegger SC, Kurzmann J, **Neuper C** (2007). Spatio-temporal differences in brain oxygenation between movement execution and imagery: A multichannel Near-Infrared Spectroscopy study. *International Journal of Psychophysiology*, 67(1), 54-63.
- [14] Müller-Putz G, Scherer R, **Neuper C**, Pfurtscheller G (2006). Steady-state somatosensory evoked potentials: suitable brain signals for brain-computer interfaces? *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 14(1), 30-37.
- [15] Pfurtscheller G, Leeb R, Keinrath C, Friedman D, **Neuper C**, Guger C, Slater M (2006). Walking from thought. *Brain research*, 1071, 145-152.
- [16] Fink A, Grabner RH, **Neuper C**, Neubauer AC (2005). Extraversion and cortical activation during memory performance. *International Journal of Psychophysiology*, 56, 129-141.
- [17] Fink A, Grabner RH, **Neuper C**, Neubauer AC (2005). EEG alpha band dissociation with increasing task demands. *Cognitive Brain Research*, 24, 252-259.
- [18] Ginter J, Blinowska KJ, Kamiński M, Durka PJ, Pfurtscheller G, **Neuper C** (2005). Propagation of EEG activity in beta and gamma band during movement imagery in humans. *Methods of Information in Medicine*, 44, 106-113.
- [19] Neubauer AC, Grabner RH, Fink A, **Neuper C** (2005). Intelligence and neural efficiency: further evidence of the influence of task content and sex on the brain-IQ relationship. *Cognitive Brain Research*, 25, 217-225.
- [20] **Neuper C**, Grabner RH., Fink A, Neubauer A (2005). Long-term stability and consistency of EEG event-related (de-)synchronization across different cognitive tasks. *Clinical Neurophysiology*, 116, 1681-1694.
- [21] **Neuper C**, Scherer R, Reiner M, Pfurtscheller G (2005). Imagery of motor actions: differential effects of kinesthetic and visual-motor mode of imagery on single-trial EEG. *Cognitive Brain Research*, 25, 668-677.

- [22] Pfurtscheller G, **Neuper C**, Brunner C, da Silva F (2005).
Beta rebound after different types of motor imagery in man
Neuroscience Letters, 378 (3), 156-159.
- [23] Scherer R, Müller G, **Neuper C**, Graimann B, Pfurtscheller G (2004).
An asynchronously controlled eeg-based virtual keyboard: improvement of the spelling rate.
IEEE Transactions on Neural Systems and Rehabilitation Engineering, 51(6), 979-984.
- [24] Blankertz B, Müller KR, Curio G, Vaughan TM, Schalk G, Wolpaw JR, Schlögl A, **Neuper C**, Pfurtscheller G, Hinterberger T, Schröder M, Birbaumer N (2004).
The BCI competition 2003: progress and perspectives in detection and discrimination of EEG single trials.
IEEE Transactions on Neural Systems and Rehabilitation Engineering, 51(6), 1044-1051.
- [25] Grabner RH, Fink A, Stipacek A, **Neuper C**, Neubauer AC (2004).
Intelligence and working memory systems: evidence of neural efficiency in alpha band ERD.
Cognitive Brain Research, 20, 212-225.
- [26] Müller G, **Neuper C**, Pfurtscheller G (2003).
Implementation of a telemonitoring system for the control of an EEG-based brain computer interface.
IEEE Transactions on Neural Systems and Rehabilitation Engineering, 11(1), 54-59.
- [27] Müller G, **Neuper C**, Rupp R, Keinrath C, Gerner H, Pfurtscheller G (2003).
Event-related beta EEG changes during wrist movements induced by functional electrical stimulation of forearm muscles in man.
Neuroscience Letters, 340(2), 143-147.
- [28] **Neuper C**, Müller G, Kübler A, Birbaumer N, Pfurtscheller G (2003).
Clinical application of an EEG-based brain-computer interface, a case study in a patient with severe motor impairment.
Clinical Neurophysiology, 114, 399-409.
- [29] **Neuper C**, Müller G, Staiger-Sälzer P, Skliris D, Kübler A, Birbaumer N, Pfurtscheller G (2003).
EEG-basierende Kommunikation – Ein neues Konzept zur rehabilitativen Unterstützung von Patienten mit schwerer motorischer Beeinträchtigung.
Rehabilitation, 42, 371-377.
- [30] Pfurtscheller G, **Neuper C**, Müller G, Obermaier B, Krausz G, Schlögl A, Scherer R, Graimann B, Keinrath C, Skliris D, Wörtz M, Supp G, Schrank C (2003).
Graz-BCI: state of the art and clinical applications.
IEEE Transactions on Neural Systems and Rehabilitation Engineering, 11(2), 177-180.
- [31] Stipacek A, Grabner RH, **Neuper C**, Fink A, Neubauer AC (2003).
Sensitivity of human EEG alpha band desynchronization to different working memory components and increasing levels of memory load.
Neuroscience Letters, 353, 193-196.
- [32] Schlögl A, **Neuper C**, Pfurtscheller G (2002).
Estimating the mutual information of EEG-based Brain-Computer Interface.
Biomedizinische Technik, 47(1-2), 3-8.
- [33] Durka PJ, Ircha D, **Neuper C**, Pfurtscheller G (2001).
Time-frequency microstructure of event-related electro-encephalogram desynchronisation and

- synchronisation.
Medical and Biological Engineering and Computing, 39(3), 315-321.
- [34] Guger C, Schlögl A, **Neuper C**, Walterspacher D, Strein T, Pfurtscheller G (2001).
Rapid prototyping of an EEG-based Brain-Computer-Interface (BCI).
IEEE Transactions on Neural Systems and Rehabilitation Engineering, 9(1), 49-58.
- [35] Müller GR, **Neuper C**, Pfurtscheller G (2001).
Resonance-like frequencies of sensorimotor areas evoked by repetitive tactile stimulation.
Biomedizinische Technik, 46, 186-190.
- [36] **Neuper C**, Pfurtscheller G (2001).
Event-related dynamics of cortical rhythms, frequency-specific features and functional correlates.
International Journal of Psychophysiology, 43(1), 41-58.
- [37] **Neuper C**, Pfurtscheller G (2001).
Evidence for distinct beta resonance frequencies in human EEG related to specific sensorimotor cortical areas.
Clinical Neurophysiology, 112(11), 2084-2097.
- [38] Obermaier B, Guger C, **Neuper C**, Pfurtscheller G (2001).
Hidden Markov models for online classification of single trial EEG data.
Pattern Recognition Letters, 22, 1299-1309.
- [39] Obermaier B, **Neuper C**, Guger C, Pfurtscheller G (2001).
Information transfer rate in a 5-classes brain-computer interface.
IEEE Transactions on Neural Systems and Rehabilitation Engineering, 9(3), 283-288.
- [40] Pfurtscheller G, Krausz G, **Neuper C** (2001).
Mechanical stimulation of the fingertip can induce bursts of beta oscillations in sensorimotor areas.
Journal of Clinical Neurophysiology, 18(6), 559-564.
- [41] Pfurtscheller G, **Neuper C** (2001).
Motor imagery and direct brain-computer communication (Invited paper).
Proceedings of the IEEE (Special Issue), Neural Engineering: Merging Engineering & Neuroscience, 89(7), 1123-1134.
- [42] Pfurtscheller G, Woertz M, Krausz G, **Neuper C** (2001).
Distinction of different fingers by the frequency of stimulus induced beta oscillations in the human EEG.
Neuroscience Letters, 307, 49-52.
- [43] Schweitzer G, Edlinger G, Krausz G, **Neuper C**, Bammer R, Stollberger R, Pfurtscheller G (2001).
Source localization of induced cortical oscillations during tactile finger stimulation.
Biomedizinische Technik, 46(1-2), 24-28.
- [44] Pfurtscheller G, Guger C, Müller GR, Krausz G, **Neuper C** (2000).
Brain oscillations control hand orthosis in a tetraplegic.
Neuroscience Letters, 292(3), 211-4.
- [45] Pfurtscheller G, **Neuper C**, Guger C, Harkam W, Ramoser H, Schlögl A, Obermaier B, Pregenzer M (2000).

- Current trends in Graz Brain-Computer Interface (BCI) research.
IEEE Transactions on Rehabilitation Engineering, 8(2), 216-219.
- [46] Pfurtscheller G, **Neuper C**, Krausz G (2000).
Functional dissociation of lower and upper frequency mu rhythms in relation to voluntary limb movement.
Clinical Neurophysiology, 111(10), 1873-1879.
- [47] Pfurtscheller G, **Neuper C**, Pichler-Zalaudek K, Edlinger G, da Silva FH (2000).
Do brain oscillations of different frequencies indicate interaction between cortical areas in humans?
Neuroscience Letters, 286(1), 66-68.
- [48] Babiloni C, Carducci F, Cincotti F, Rossini PM, **Neuper C**, Pfurtscheller G, Babiloni F (1999).
Human movement-related potentials vs desynchronization of EEG alpha rhythm: a high-resolution EEG study.
NeuroImage, 10(6), 658-665.
- [49] **Neuper C**, Schloegl A, Pfurtscheller G (1999).
Enhancement of left-right sensorimotor EEG differences during feedback-regulated motor imagery.
Journal of Clinical Neurophysiology. 16(4),373-382.
- [50] Pfurtscheller G, **Neuper C**, Ramoser H, Mueller-Gerking J (1999).
Visually guided motor imagery activates sensorimotor areas in humans.
Neuroscience Letters, 269(3), 153-156.
- [51] Pfurtscheller G, **Neuper C**, Strein T, Pichler-Zalaudek K, Röthl W, Radl W, Passl R, Spanudakis S (1999).
Ereignisbezogene EEG-Desynchronisation (ERD) beim Vorstellen einer Handbewegung erhoben an Patienten mit Amputation oder Zervikalläsion im Vergleich zu gesunden Kontrollpersonen. [Event-related desynchronization (ERD) during imagination of movement in patients with amputated limbs or spinal cord lesions compared to healthy control subjects.]
Klinische Neurophysiologie, 30, 176-183.
- [52] Pfurtscheller G, **Neuper C**, Schloegl A, Lugger K (1998).
Separability of EEG signals recorded during right and left motor imagery using adaptive autoregressive parameters.
IEEE Transactions on Rehabilitation Engineering, 6(3), 316-325.
- [53] Pfurtscheller G, Zalaudek K, **Neuper C** (1998).
Event-related beta synchronization after wrist, finger and thumb movement.
Electroencephalography and Clinical Neurophysiology, 109(2), 154-160.
- [54] van Burik M, Knösche T, Edlinger G, **Neuper C**, Pfurtscheller G, Peters M (1998).
Post-movement beta oscillations studied with linear estimation.
Electroencephalography and Clinical Neurophysiology, 106 (3), 195-198.
- [55] Pfurtscheller G, **Neuper C** (1997).
Motor imagery activates primary sensorimotor area in humans.
Neuroscience Letters, 239(2-3), 65-68.
- [56] Pfurtscheller G, **Neuper C**, Andrew C, Edlinger G (1997).
Foot and hand area mu rhythms. A review.
International Journal of Psychophysiology, 26(1-3), 121-135.

- [57] Pfurtscheller G, **Neuper C**, Flotzinger D, Pregenzer M (1997). EEG-based discrimination between imagination of right and left hand movement. *Electroencephalography and Clinical Neurophysiology*, 103(6), 642-651.
- [58] Kalcher J, Flotzinger D, **Neuper C**, Golly S, Pfurtscheller G (1996). Graz brain-computer interface II: towards communication between humans and computers based on online classification of three different EEG patterns. *Medical and Biological Engineering and Computing*, 34(5), 382-388.
- [59] **Neuper C**, Pfurtscheller G (1996). Post-movement synchronization of beta rhythms in the EEG over the cortical foot area in man. *Neuroscience Letters*, 216(1), 17-20.
- [60] Pfurtscheller G, Kalcher J, **Neuper C**, Flotzinger D, Pregenzer M (1996). On-line EEG classification during externally-paced hand movements using a neural network-based classifier. *Electroencephalography and Clinical Neurophysiology*, 99(5), 416-425.
- [61] Pfurtscheller G, Stancak A Jr, **Neuper C** (1996). Event-related synchronization (ERS) in the alpha band - an electrophysiological correlate of cortical idling: a review. *International Journal of Psychophysiology*, 24(1-2), 39-46.
- [62] Pfurtscheller G, Stancak A Jr, **Neuper C** (1996). Post-movement beta synchronization. A correlate of an idling motor area? *Electroencephalography and Clinical Neurophysiology*, 98(4), 281-93.
- [63] Salenius S, Salmelin R, **Neuper C**, Pfurtscheller G, Hari R (1996). Human cortical 40 Hz rhythm is closely related to EMG rhythmicity. *Neuroscience Letters*, 213(2), 75-78.
- [64] Flotzinger D, Pfurtscheller G, **Neuper C**, Berger J, Mohl W (1994). Classification of non-averaged EEG data by learning vector quantisation and the influence of signal preprocessing. *Medical and Biological Engineering and Computing*, 32(5), 571-576.
- [65] Pfurtscheller G, Flotzinger D, **Neuper C** (1994). Differentiation between finger, toe and tongue movement in man based on 40 Hz EEG. *Electroencephalography and Clinical Neurophysiology*, 90(6), 456-460.
- [66] Pfurtscheller G, **Neuper C** (1994). Event-related synchronization of mu rhythm in the EEG over the cortical hand area in man. *Neuroscience Letters*, 174(1), 93-96.
- [67] Pfurtscheller G, **Neuper C**, Berger J (1994). Source localization using event-related desynchronization (ERD) within the alpha band. *Brain Topography*, 6(4), 269-275.
- [68] Pfurtscheller G, **Neuper C**, Mohl W (1994). Event-related desynchronization (ERD) during visual processing. *International Journal of Psychophysiology*, 16(2-3), 147-153.
- [69] Pfurtscheller G, Pregenzer M, **Neuper C** (1994). Visualization of sensorimotor areas involved in preparation for hand movement based on classification of mu and central beta rhythms in single EEG trials in man. *Neuroscience Letters*, 181(1-2), 43-46.

- [70] Pfurtscheller G, **Neuper C**, Kalcher J (1993).
40-Hz oscillations during motor behavior in man.
Neuroscience Letters, 164(1-2), 179-182.
- [71] **Neuper C**, Pfurtscheller G (1992).
Ereignisbezogene Negativierung und Alphaband-Desynchronisation bei motorischen Reaktionen. [Event-related negativity and alpha band desynchronization in motor reactions.]
EEG EMG Zeitschrift für Elektroenzephalographie, Elektromyographie und verwandte Gebiete, 23(2), 55-61.
- [72] Pfurtscheller G, **Neuper C** (1992).
Simultaneous EEG 10 Hz desynchronization and 40 Hz synchronization during finger movements.
Neuroreport, 3(12), 1057-60.

II. BUCHBEITRÄGE UND SONSTIGE PUBLIKATIONEN (AUF EINLADUNG)

- [1] Kübler A, **Neuper C** (2008).
Gehirn-Computer-Schnittstellen (Brain-Computer Interfaces): Anwendungen und Perspektiven.
Neuroforum, 3, 204-210.
- [2] **Neuper C** (2008).
Neues aus der Neuropsychologie: Was verrät das Gehirn über unsere Gedanken?
Karl-Franzens-Universität Graz (Hg.) Was ist der Mensch? Beiträge von Vortragenden der Montagsakademie 2007/8. Grazer Universitätsverlag, *Montagsakademie*, 4, 171-185.
- [3] **Neuper C**, Pfurtscheller G (2008).
EEG characteristics during motor imagery.
In: A Guillot, C Collet (Eds.), *The Neurophysiological Foundations of Mental Motor Imagery*. Oxford University Press, Oxford, (in press)
- [4] Pfurtscheller G, Müller-Putz G, Scherer R, **Neuper C** (2008).
Rehabilitation with Brain-Computer Interface Systems.
IEEE Computer (cover feature), IEEE Computer Society 2008, 48-55
- [5] Pfurtscheller G, **Neuper C** (2008).
EEG-based brain-computer communication.
In: A Guillot, C Collet (Eds.), *The Neurophysiological Foundations of Mental Motor Imagery*. Oxford University Press, Oxford, (in press).
- [6] Pfurtscheller G, Scherer R, **Neuper, C** (2007).
EEG-Based Brain-Computer Interface.
In: R. Parasuraman, M. Rizzo (Eds.), *Neuroergonomics. The brain at work. Series in human-technology interaction*. Oxford University Press, New York, 315-328.
- [7] Pfurtscheller G, Müller-Putz G, Schlögl A, Graimann B, Scherer R, Leeb R, Brunner C, Keinrath C, Townsend G, Vidaurre C, Naeem M, Lee FY, Wriessnegger S, Zimmermann D, Höfler E, **Neuper C** (2007).
Graz-Brain-Computer Interface: State of Research.
In: G Dornhege, J del R Millan, T Hinterberger, D Mc Farland, KR Müller (Eds.), *Toward brain-computer interfacing*. MIT Press, Cambridge, Massachusetts, 65 – 84.

- [8] Birbaumer N, Millán JR, **Neuper C**, Douglas R (2006).
Brain mechanisms and applications of brain-machine interfaces (BMI).
In: Olesen J, Baker MG, Freund T, diLuca M, Mendlewicz J, Ragan I, Westphal M. *Consensus Document on European Brain Research: Understanding the human brain and relieving its diseases. J.Neurol.Neurosurg.Psychiatry*, published online 17 Feb 2006;
doi:10.1136/jnnp.2006.089540. 172-174.
- [9] Birbaumer N, Weber C, **Neuper C**, Buch E, Cohen L (2006). (Artikel Fachzeitschrift)
Physiological regulation of thinking: brain-computer-interface (BCI) research.
In: **C. Neuper**, W. Klimesch (Eds.), *Event-related dynamics of brain oscillations. Series: Progress in Brain Research*. Elsevier, Amsterdam, 159, 369-391.
- [10] **Neuper C**, Mueller-Putz GR, Scherer R, Pfurtscheller G (2006). (Artikel Fachzeitschrift)
Motor imagery and EEG-based control of spelling devices and neuroprostheses.
In: **C. Neuper**, W. Klimesch (Eds.), *Event-related dynamics of brain oscillations. Series: Progress in Brain Research*. Elsevier, Amsterdam, 159, 393-409.
- [11] **Neuper C**, Woertz M, Pfurtscheller G (2006). (Artikel Fachzeitschrift)
ERD/ERS patterns reflecting sensorimotor activation and deactivation.
In: **C. Neuper**, W. Klimesch (Eds.), *Event-related dynamics of brain oscillations. Series: Progress in Brain Research*. Elsevier, Amsterdam, 159, 211-222.
- [12] Pfurtscheller G, Graimann B, **Neuper C**, (2006).
EEG-based Brain-Computer Interface Systems and Signal Processing.
In: M. Akay (Editor), *Encyclopedia of Biomedical Engineering*. John Wiley & Sons, New Jersey, 2, 1156-1166.
- [13] Pfurtscheller G, **Neuper C** (2006). (Artikel Fachzeitschrift)
Future prospects of ERD/ERS in the context of brain-computer interface (BCI) developments.
In: **C. Neuper**, W. Klimesch (Eds.), *Event-related dynamics of brain oscillations. Series: Progress in Brain Research*. Elsevier, Amsterdam, 159, 433-437.
- [14] Neubauer AC, **Neuper C** (2005).
Die Sprache der Gehirnforschung.
Journal für Begabtenförderung, 2, 45-47.
- [15] **Neuper C** (2005).
Gehirntraining und moderne Neurofeedback-Technologie.
Journal für Begabtenförderung, 2, 16-21.
- [16] **Neuper C** (2005).
Direkte Hirn-Computer-Kommunikation und Neurofeedback: Zur Anwendbarkeit moderner Neurofeedback-Technologie in der Lehr-Lern-Forschung.
In: Stern, E., Grabner, R., Schumacher, R. (2005), *Lehr-Lern-Forschung und Neuwissenschaften: Erwartungen, Befunde und Forschungsperspektiven. Reihe Bildungsreform Band 13*. Bundesministerium für Bildung und Forschung (BMBF), Kapitel 10, 99-104.
- [17] Pfurtscheller G, **Neuper C** (2005).
EEG-based Brain-Computer Interfaces.
In: E. Niedermeyer, F. Lopes da Silva (Editors), *Electroencephalography: Basic Principles, Clinical Applications, and Related Fields*. 5th edition, Lippincott Williams & Wilkins, Philadelphia, 1265-1271.

- [18] Pfurtscheller G, **Neuper C**, Birbaumer N (2005).
Human Brain-Computer Interface.
In: E. Vaadia, A. Riehle (Editors), *Motor cortex in voluntary movements: a distributed system for distributed functions. Series: Methods and New Frontiers in Neuroscience*. CRC Press, Boca Raton, 367-401.
- [19] Pfurtscheller G, **Neuper C**. (2004).
Brain-Computer Interface.
In: G. Adelman, BH. Smith (Editors), *Encyclopedia of Neuroscience*. 3rd edition, Elsevier, 2004.
- [20] Pfurtscheller G, **Neuper C** (2003).
Movement and ERD/ERS.
In: M Jahanshahi, M Hallett, (Editors), *The Bereitschaftspotential. In Honour of Professors Deecke and Kornhuber*. Kluwer Academic/Plenum Publishers, New York, 191-206.
- [21] **Neuper C**, Pfurtscheller G (1999).
Motor imagery and ERD.
In: G Pfurtscheller, FH Lopes da Silva (Eds.), *Event-Related Desynchronization. Handbook of Electroencephalography and Clinical Neurophysiology*. Revised Edition Vol. 6. Elsevier, Amsterdam 303-325.
- [22] Pfurtscheller G, Pichler-Zalaudek K. **Neuper C** (1999).
ERD and ERS in voluntary movement of different limbs.
In: G Pfurtscheller, FH Lopes da Silva, (Editors), *Event-Related Desynchronization. Handbook of Electroencephalography and Clinical Neurophysiology*. Revised Edition Vol. 6. Elsevier, Amsterdam 245-268.
- [23] **Neuper C**, Strein T, Pfurtscheller G (1998).
Beeinflussung der elektrischen Hirnaktivität durch motorische Vorstellungen.
In: J Glück, O Vitouch, M Jirasko, B Rollett (Hrsg.) *Perspektiven psychologischer Forschung in Österreich 2*, Wien, Universitätsverlag (WUV), 117-120.
- [24] Homann N, **Neuper C**, Kalcher J, Spanudakis S, Passl R, Radl W, Röthl W, Pfurtscheller G (1997).
ERD in patients with amputated limbs: a pilot study for a brain computer interface.
In: H Witte, U Zwiener, B Schack, A Doering (Eds.), *Quantitative and Topological EEG and MEG analysis*. Jena, Druckhaus Mayer Verlag. 375-377.
- [25] **Neuper C**, Pfurtscheller G (1997).
ERD and ERS during foot movement in man.
In: H Witte, U Zwiener, B Schack, A Doering (Eds.), *Quantitative and Topological EEG and MEG analysis*. Jena, Druckhaus Mayer Verlag. 364-367.
- [26] Homann N., Kalcher J, **Neuper C**, Röthl W, Spanudakis M, Pergenzer M, Lugger K, Pfurtscheller G (1996).
Graz Brain-Computer Interface (BCI) - A pilot study on patients with motor deficits.
In: J Klaus, E Auff, W Kremser, W Zagler (Eds.), *Interdisciplinary Aspects on Computers Helping People with Special Needs*, 155-160.
- [27] Kalcher J, **Neuper C**, Raich G, Pfurtscheller G (1996).
Graz Brain Computer Interface (BCI) - Hardware and software components.
In: J Klaus, E Auff, W Kremser, W Zagler (Eds.), *Interdisciplinary Aspects on Computers Helping People with Special Needs*, 161-164.

- [28] Pfurtscheller G, Kalcher J, Flotzinger D, **Neuper C**, Pregenzer M, Göllly S (1995). EEG-based brain computer communication systems. In: H Hutten (Ed.), *Science and Technology for Medicine: Biomedical Engineering in Graz*. Lengerich, Pabst Verlag, 403-423.
- [29] Pfurtscheller G, **Neuper C** (1995). Interpretation of local EEG desynchronization and synchronization. In: Eiselt, M., Zwiener, U. and Witte, H. (Eds.) *Quantitative and Topological EEG and MEG Analysis*. Universitätsverlag Jena, 147-154.
- [30] Pfurtscheller G, **Neuper C** (1995). EEG-based brain computer communication systems. *Telematik*, 1(2/3), 25-29.
- [31] Roth R, **Neuper C**, Borkenstein M (1988). Erprobung eines neu entwickelten Wissens- und Einstellungsfragebogens zum Juvenilen Diabetes mellitus auf einem Diabetes-Sommercamp. In: F Strian, R Hölzl, M Haslbeck (Hrg.), *Verhaltensmedizin und Diabetes mellitus*. Berlin, Springer Verlag. 116-130.
- [32] Roth R, **Neuper C**, Borkenstein M (1987). Behavioral, medical and psychological aspects in childhood diabetes. In: JP Dauwalder, M Perrez, V Hobi (Eds.), *Controversial Issues in behavior modification. (Annual series of European research in behavior therapy)* Amsterdam, Swets & Zeitlinger, 257-269.

III. HERAUSGEBERWERKE

- [1] Müller-Putz GR, Brunner C, Leeb R, Pfurtscheller G, **Neuper C**, Eds. (2008). *Proceedings of the 4th International Brain-Computer Interface Workshop and Training Course 2008*, Verlag der Technischen Universität Graz.
- [2] **Neuper C**, Klimesch W., Eds. (2006). Event-related dynamics of brain oscillations. Series: *Progress in Brain Research*, Vol. 159, Elsevier, Amsterdam.
- [3] Müller-Putz GR, **Neuper C**, Schlögl A, Pfurtscheller G, Eds. (2004). Proceedings of the 2nd International Brain-Computer Interface Workshop and Training Course 2004, *Biomedizinische Technik* (49), Ergänzungsband 1, Fachverlag Schiele & Schön, Berlin.

IV. PUBLIZIERTE KONFERENZBEITRÄGE

- [4] Ansari D, Grabner RH, Koschutnig K, Reishofer G, Ebner F, **Neuper C** (2009). Individual differences in mathematical competence modulate brain responses to arithmetic errors: an fMRI study. (Abstract, Human Brain Mapping Tagung 2009, San Francisco) submitted for publication.

- [5] Braunstein V, Gerganov A, Kaiser V, Popivanov I, Brunner C, Stamenov M and **Neuper C** How do in/congruent Prompts interfere with the translation Process of a bilingual Brain?: A fixation-related EEG analysis (Abstract, Eye-to-IT conference Copenhagen) submitted for publication.
- [6] Grabner RH, Ansari D, Koschutnig K, Reishofer G, Ebner F, **Neuper C** (2009). Mapping arithmetic problem solving strategies in the brain: The role of the left angular gyrus in arithmetic fact retrieval. (Abstract, Human Brain Mapping Tagung 2009, San Francisco) submitted for publication
- [7] Grabner RH, Ischebeck A, Reishofer G, Koschutnig K, Delazer M, Ebner F, **Neuper C** (2009). The interplay of arithmetic fact training and mathematical competence on parietal brain activation during mental calculation. (Abstract, Human Brain Mapping Tagung 2009, San Francisco) submitted for publication
- [8] Ischebeck A, Koch S, Grabner R, Reishofer G, Koschutnig K, Butterworth B, Ebner F, **Neuper C** (2009). Abstract TEAP (Tagung experimentell arbeitender Psychologen) 2009 in Jena, submitted for publication.
- [9] Jehna M, Loitfelder M, **Neuper C**, Fuchs S, Ischebeck A, Ebner F, Ropele S, Schmitdt R, Fazekas F, Enzinger C (2009). A new combined fMRI paradigm to study the neural correlates of the perception of faces and the recognition of emotional facial expression. (Abstract, Human Brain Mapping Tagung 2009, San Francisco) submitted for publication.
- [10] Jehna M, Loitfelder M, **Neuper C**, Fuchs S, Ischebeck A, Ebner F, Ropele S, Schmitdt R, Fazekas F, Enzinger C (2009). A new combined fMRI paradigm to study the neural correlates of the perception of faces and the recognition of emotional facial expression. (Abstract, ÖGN Villach 2009, Villach) submitted for publication.
- [11] Loitfelder M, Petrovic K, Fuchs S, Ropele S, Wallner-Blazek M, Jehna M, Aspeck E, Schmitdt R, **Neuper C**, Fazekas F, Enzinger C (2009). fMRI evidence for functional reorganisation in cognitive networks with disease progression in Multiple Sclerosis. (Abstract, Human Brain Mapping Tagung 2009, San Francisco) submitted for publication.
- [12] Loitfelder M, Petrovic K, Fuchs S, Ropele S, Wallner-Blazek M, Jehna M, Aspeck E, Schmitdt R, **Neuper C**, Fazekas F, Enzinger C (2009). fMRI evidence for functional reorganisation in cognitive networks with disease progression in Multiple Sclerosis. (Abstract, ÖGN Villach 2009, Villach) submitted for publication.
- [13] Solis-Escalante T, Braunstein V, Janyan A, Lachaud C, Rydning A F, Pfurtscheller G, **Neuper C** (2009). Event related (de)synchronization during comprehension of a foreign language (Abstract, Eye-to-IT conference Copenhagen) submitted for publication.
- [14] Van Eimeren L, Ansari D, Grabner RH, Koschutnig K, Reishofer G, Ebner F, **Neuper C** (2009). White matter microstructure integrity of the left superior corona radiata is related to activation differences in the left angular gyrus during calculation. (Abstract, Human Brain Mapping Tagung 2009, San Francisco) submitted for publication.

- [15] Bauernfeind, G, Leeb, R, **Neuper, C**, Pfurtscheller, G (2008).
Reducing the blood pressure influence on characteristic hemodynamic responses: a preliminary NIRS study.
Proceedings of the 4th International Brain-Computer Interface Workshop and Training Course, Graz, 2008, 309-314.
- [16] Braunstein V, Wriessnegger SC, **Neuper, C** (2008).
Are eye movements mandatory to elicit a P300 event-related brain potential in a visual search?
Proceedings of the 4th International Brain-Computer Interface Workshop and Training Course, Graz, 2008, 244-249.
- [17] Enzinger C, Pargfrieder C, Pegritz S, Wurm W, Linderl-Madrutter R, Reiter, Scherer R, Kollreider A, Ram D, Ropele S, Loitfelder M, **Neuper C**, Fazekas F, Grieshofer P (2008).
A proof-of-concept study on the effects of a robotic-assisted hand rehabilitation programme after stroke on central movement control.
(Abstract of the 14th Annual Meeting of the Organization for Human Brain Mapping, Melbourne, Australia, 15-19 June 2008).
Neuroimage 2008 (suppl.)
- [18] Friedrich EVC, MsFarland DJ, **Neuper C**, Vaughan TM, Brunner P, Wolpaw, JR (2008).
Sequential selection in a sensorimotor rhythm-based brain-computer interface.
Proceedings of the 4th International Brain-Computer Interface Workshop and Training Course, Graz, 2008, 156-161.
- [19] Grabner RH, Ischebeck A, Reishofer G, Koschutnig K, Delazer M, Ebner F, Stern E, **Neuper C** (2008).
Numerical fact learning in complex arithmetic and figural-spatial tasks: The role of the angular gyrus and its relation to mathematical competence. (Abstract of the 14th World Congress on Psychophysiology, St. Petersburg, Russia, Sept.8 - 13, 2008)
International Journal of Psychophysiology, 69(3), 228.
- [20] Kurzmann J, Wriessnegger SC, **Neuper C** (2008).
Implementation of a real-time feedback system based on multichannel near-infrared spectroscopy.
Proceedings of the 4th International Brain-Computer Interface Workshop and Training Course, Graz, 2008, 303-307.
- [21] **Neuper C**, Grabner RH, Brunner C, Pfurtscheller G, Stamenov M (2008).
Event-related (De-)synchronisation of EEG theta and alpha band activity during second language processing. (Abstract of the 14th World Congress on Psychophysiology, St. Petersburg, Russia, Sept.8 - 13, 2008)
International Journal of Psychophysiology, 69(3), 171.
- [22] **Neuper C**, Müller-Putz GR, Pfurtscheller G (2008).
Motor imagery and brain-computer interfaces for restoration of movement.
International Journal of Psychology, 43(3/4), p.
- [23] **Neuper C**, Scherer R, Grieshofer P, Pfurtscheller G (2008).
Event-related EEG characteristics during motor imagery. (Abstract of the 14th World Congress on Psychophysiology, St. Petersburg, Russia, Sept.8 - 13, 2008)
International Journal of Psychophysiology, 69(3), 181-182.

- [24] **Neuper C.**
Toward brain-computer interfacing: applications and perspective.
International Journal of Psychology, 43(3/4), p.
- [25] Scherer, R, Pfurtscheller, G, **Neuper, C** (2008).
Motor imagery-induced changes in oscillatory EEG components: speed vs. accuracy.
Proceedings of the 4th International Brain-Computer Interface Workshop and Training Course,
Graz, 2008, 186-190.
- [26] Fink A, Grabner RH, Benedek M, Reishofer G, **Neuper C**, Ebner F, Neubauer AC (2007).
The creative brain: Investigation of brain activity during creative thinking by means of EEG and
fMRI.
*(Abstract of the 13th Biennial Meeting of the International Society for the Study of Individual
Differences (ISSID). Giessen Germany, Jul 22-27, 2007.*
- [27] Friedrich E, McFarland DJ, **Neuper C**, Vaughan TM, Brunner P, Wolpaw J R (2007).
A Scanning Protocol for a Sensorimotor Rhythm-Based Brain-Computer Interface.
*(Abstract of the 37th Annual Meeting of the Society for Neuroscience. San Diego CA, Nov 3-7,
2007).*
- [28] Grabner RH, Ansari D, Reishofer G, **Neuper C**, Ebner F (2007).
Effects of numerical competence on the neural correlates of number magnitude processing.
NeuroImage, 36, S115.
- [29] Grabner, RH, Ansari, D, Reishofer, G, Stern, E, Neubauer, AC, Ebner, F **Neuper, C** (2007).
The impact of mathematical competence on brain activation during mental calculation.
*(Abstract of the 13th Biennial Meeting of the International Society for the Study of Individual
Differences (ISSID). Giessen, Germany.*
- [30] Jehna M, Enzinger C, **Neuper C**, Petrovic K, Strasser-Fuchs S, Wallner M, Fazekas F (2007).
Emotionswahrnehmung bei Multipler Sklerose.
*(Abstract der 4. Jahrestagung der Österreichischen Gesellschaft für Neurologie. Salzburg, Apr.
25-28, 2007).*
- [31] Klobassa DS, Vaughan TM, Brunner P, Wolpaw JR, **Neuper C**, Sellers E W (2007).
P300-based brain-computer interface (BCI): a high throughput auditory matrix paradigm.
*(Abstract of the 37th Annual Meeting of the Society for Neuroscience. San Diego CA, Nov 3-7,
2007).*
- [32] **Neuper C** (2007).
Feedback-regulated motor imagery in Brain-Computer Interface (BCI) applications.
Brain Topography, 20, 44.
- [33] Popotnig F, Grabner R H, **Neuper C**, Ropele S, Gorani F, Petrovic K, Ebner F, Fazekas F,
Enzinger C (2007).
fMRT Untersuchungen zur Messung der Gehirnaktivität während der Bearbeitung des Faces-
Symbol-Tests bei Gesunden und PatientInnen mit idiopathischer inflammatorischer ZNS-
Erkrankung.
*(Abstract der 4. Jahrestagung der Österreichischen Gesellschaft für Neurologie. Salzburg, Apr.
25-28, 2007).*
- [34] Scherer R, Pfurtscheller G, **Neuper C**, Müller-Putz G (2007).
Minimizing the number of EEG sensors for practical Brain-Computer Interfaces
Proceedings of the 1st Workgroups Meeting EU COST BM0601 Neuromath, 2007, Rome, 47.

- [35] Scherer, R., Mohapp, A., Grieshofer, P., Pfurtscheller, G., **Neuper, C** (2007).
Motor imagery and Stroke Rehabilitation.
Proceedings of the Neuromath Workshop, Rome, 2007, p. 105-106.
- [36] Karakaş S, **Neuper C** (2006).
Understanding complex cognitive processes through their oscillatory dynamics.
(Abstract of the 13th World Congress on Psychophysiology. Istanbul, Turkey, Aug 28- Sept 2, 2006).
International Journal of Psychophysiology, 61(3), 314.
- [37] Mohapp A, Scherer R, Keinrath, C., Grieshofer P., Pfurtscheller G, **Neuper C** (2006).
Single-trial EEG classification of executed and imagined hand moveemnts in hemiparetic stroke patients.
Proceedings of the 3rd International BCI Workshop and Training Course, Graz, 2006, 80-81.
- [38] **Neuper C**, Grabner RH, Fink A, Neubauer A (2006).
ERD/ERS during cognitive task performance: its reliability and sensitivity to individual abilities.
(Abstract of the 13th World Congress on Psychophysiology. Istanbul, Turkey, Aug 28- Sept 2, 2006).
International Journal of Psychophysiology, 61(3), 314.
- [39] Scherer R, Maier C, Mörth K, **Neuper C**, Pfurtscheller G (2006).
Relevant electrode positions and frequency components for motor-imagery based Brain-Computer Communication.
Proceedings of the 40th Annual Congress of the German Society for Biomedical Engineering, BMT 2006.
- [40] Wriessnegger S, Scherer R, Maier C, Mörth K, Pfurtscheller G, **Neuper C**. (2006)
The relevance of feedback type on BCI classification results.
Proceedings of the 3rd International BCI Workshop and Training Course, Graz, 2006, 78-79.
- [41] Lahrman H, **Neuper C**, Müller-Putz GR, Scherer R, Pfurtscheller G (2005).
Usefulness of an EEG-based brain-computer interface to establish communication in ALS.
Proceedings of the 18th World Congress of Neurology (2005), 458.
- [42] Lee F, Scherer R, Leeb R, **Neuper C**, Bischof H, Pfurtscheller G (2005).
A Comparative Analysis of Multi-Class EEG Classification for Brain Computer Interface.
Proceedings of the 10th Computer Vision Winter Workshop, CVWW'05, 2-4 February 2005, Zell an der Pram, Austria, 195-204.
- [43] Leeb R, Keinrath C, Friedman D, Guger C, **Neuper C**, Slater M, Pfurtscheller G (2005).
Walking from thoughts: Not the muscles are crucial but the brain waves!
Proceedings of the 8th Annual International Workshop on Presence, PRESENCE 2005, 21-23 September 2005, London, UK, 25-32.
- [44] Leeb R, Scherer R, Friedman D, Guger C, **Neuper C**, Müller-Putz GR, Slater M, Pfurtscheller G (2005).
Moving through Virtual Environments by Movement Imaginations.
Proceedings of the 39th Annual Congress of the German Society for Biomedical Engineering, BMT 2005, September 14-17, 2005, Nürnberg, Germany, 705-706.

- [45] Fink A, Grabner RH, **Neuper C**, Neubauer AC (2004).
Functional differences between lower and upper EEG alpha frequency bands.
(Abstract of the 12th Word Congress of Psychophysiology, Thessaloniki, Greece, Sept 18-23, 2004)
International Journal of Psychophysiology, 54(1-2), 162.
- [46] Grabner R H, Fink A, Stipacek A, **Neuper C**, Neubauer AC (2004).
Neural efficiency during working memory performance: the influences of task demands, sex, and intelligence components.
(Abstract of the 12th Word Congress of Psychophysiology, Thessaloniki, Greece, Sept 18-23, 2004)
International Journal of Psychophysiology, 54(1-2), 142.
- [47] Grabner RH, Fink A, Stipacek A, **Neuper C**, Neubauer AC (2004).
Intelligenz und neurale Effizienz bei Arbeitsgedächtnisanforderungen. In E. Bänninger-Huber, H.R. Bliem & B. Juen (Hrsg.), Aktuelle Ergebnisse psychologischer Forschung in Österreich. *Abstractband der 6. wissenschaftlichen Tagung der Österreichischen Gesellschaft für Psychologie*. Innsbruck: Staudia Universitätsverlag.
- [48] Müller GR, Scherer R, **Neuper C**, Lahrmann H, Staiger-Sälzer P, Pfurtscheller G (2004): EEG-basierende Kommunikation: Erfahrungen mit einem Telemonitoringsystem zum Patiententraining.
Beiträge zur 38. Jahrestagung der Deutschen Gesellschaft für Biomedizinische Technik im VDE - BMT 2004, 230-231.
- [49] Neubauer, A. C., Grabner, R. H., **Neuper C** (2004).
EEG correlates of human performance: intelligence, expertise and learning.
(Abstract of the 12th Word Congress of Psychophysiology, Thessaloniki, Greece, Sept 18-23, 2004).
International Journal of Psychophysiology, 54(1-2), 37-38.
- [50] **Neuper C**, Neubauer (2004).
Evidence of individual differences in ERD/ERS studies on human cognition.
(Abstract of the 12th Word Congress of Psychophysiology, Thessaloniki, Greece, Sept 18-23, 2004)
International Journal of Psychophysiology, 54(1-2), 36-37.
- [51] **Neuper C.** (2004)
Direkte Kommunikation zwischen Gehirn und Computer: Virtuelles Keyboard – Schreiben mit Gedanken.
Kurzbericht über ein interdisziplinäres Kooperationsprojekt mit der TU Graz. In: Vizerektor für Studium, Lehre und Personalentwicklung und Abteilung für Lehr- und Studienservices (Hrsg.), *Neue Medien in Lehre und Forschung an der Universität Graz*. Graz: Universität Graz.
- [52] Scherer R, Lee FY, Leeb R, Schlögl A, **Neuper C**, Keinrath C, Reitingner B, Bischof H, Pfurtscheller G (2004).
Virtual Reality and Pattern Recognition in Brain-Computer Interface-Research.
Proceedings of the 9th Computer Vision Winter Workshop, 109-118.
- [53]
- [54] Inoue K, Pfurtscheller G, **Neuper C**, Kumamaru K (2003).
Pattern recognition of EEG signals during right and left motor imagery.

- Abstract of the 13th IFAC Symposium on System Identification (SYSID-2003), Rotterdam, August 27-29, 2003.
- [55] Mochty U, McFarland DJ, Vaughan TM, Birbaumer N, Schalk G, Wolpaw JR, **Neuper C** (2003).
EEG-based communication: detection of errors during early training of new users.
Abstract of the 33rd Annual Meeting of the Society for Neuroscience (SfN), New Orleans, November 11, 2003.
- [56] **Neuper C**, Pfurtscheller G (2003).
Clinical application of an EEG-based brain-computer interface in patients with severe motor impairment.
Abstract of the 5th European Conference of the Federation of European Psychophysiology Societies, Bordeaux, France, Sept 9-13, 2003.
- [57] Scherer R, Müller GR, **Neuper C**, Graimann B, Pfurtscheller G (2003).
Asynchronous controlled EEG-based spelling device.
Beiträge zur gemeinsamen Jahrestagung der Deutschen, der Österreichischen und der Schweizerischen Gesellschaften für Biomedizinische Technik, 302-303.
- [58] Krausz G, Brunia CHM, **Neuper C**, Pfurtscheller G (2002).
Stimulus-preceding negativity and oscillatory changes of the EEG in a non-motor anticipation paradigm. (Abstract of the 11th World Congress of Psychophysiology, Montreal, Canada, July 29-Aug. 3, 2002)
International Journal of Psychophysiology, 45, 124.
- [59] Krausz G, **Neuper C**, Pfurtscheller G (2002).
Visuelles Biofeedback-Training im Rahmen der Hirn-Computer-Kommunikation.
Newsletter der Österreichischen Gesellschaft für Biofeedback und Psychophysiology (ÖBfP), 17, 12-15.
- [60] Müller G, **Neuper C**, Pfurtscheller G (2002).
Do various stimulation characters cause different steady-state evoked potentials in man?.
Proceedings 2nd European Medical & Biological Engineering Conference EMBEC '02. IFMBE p. 1312-1313.
- [61] Müller GR, **Neuper C**, Pfurtscheller G (2002).
Direct control of a hand orthosis by brain potentials. (Proceedings of the 48th Annual conference of the American Paraplegia Society, Las Vegas, Sept. 2-5.)
Journal of Spinal Cord Medicine, 25(3), 212.
- [62] Müller, GR, **Neuper C**, Pfurtscheller G. (2002)
Operation of a Brain-Computer Interface with the help of a telemonitoring system.
Proceedings 2nd European Medical & Biological Engineering Conference EMBEC '02. IFMBE p. 1722-1723.
- [63] **Neuper C**, Pfurtscheller G (2002).
ERD/ERS basic principles: evidence for resonance-like frequencies in sensorimotor areas. (Abstract of the 11th World Congress of Psychophysiology, Montreal, Canada, July 29-Aug. 3)
International Journal of Psychophysiology, 45, 23-24.
- [64] Pfurtscheller G, **Neuper C** (2001).
Direct brain-computer communication.
ÖGAI-Journal, 20 (2001), 16-18.

- [65] **Neuper C**, Pichler K, Krausz G, Edlinger G, Pfurtscheller G (2000).
Induced beta oscillations after voluntary movement and somatosensory stimulation of different limbs. (Abstract of the 4th European Conference of the Federation of European Psychophysiology Societies, Amsterdam, The Netherlands, May 24-27.)
Journal of Psychophysiology, 14 (Suppl.1), 51.
- [66] Edlinger G, Bastiaansen M, Brunia C, **Neuper C**, Pfurtscheller G (1999).
Cortical oscillatory activity assessed by combined EEG and MEG recordings and High-Resolution ERD methods.
Biomedizinische Technik, Ergänzungsband 44, 131-135.
- [67] **Neuper C**, Edlinger G, Pfurtscheller G (1999).
Spatial mapping of beta oscillations in central EEG after voluntary movement of different limbs.
2nd Int. Symposium on Noninvasive Functional Source Imaging within the Human Brain and Heart, Zagreb, Croatia, Sept 3-7,
Biomedizinische Technik, Book of Abstracts, 64.
- [68] **Neuper C**, Pfurtscheller G (1998).
Event-related desynchronization (ERD) and synchronization (ERS) of Rolandic EEG rhythms during motor behavior. (Abstract of the 9th World Congress of Psychophysiology, Taormina, Italy, Sept. 14-19).
International Journal of Psychophysiology, 30, 7-8.
- [69] **Neuper C**, Pfurtscheller G (1998).
ERD/ERS based brain computer interface (BCI): effects of motor imagery on sensorimotor rhythms. (Abstract of the 9th World Congress of Psychophysiology, Taormina, Italy, Sept. 14-19.)
International Journal of Psychophysiology, 30, 53-54.
- [70] Prull A, Edlinger G, van Burik M, Stollberger R, **Neuper C**, Pfurtscheller G (1998).
High-resolution ERD using realistic head geometry. (32. Jahrestagung der Deutschen Gesellschaft für Biomedizinische Technik, BMT'98)
Biomedizinische Technik, 43 Suppl, 240-1.
- [71] Edlinger G, Prull A, **Neuper C**, Pfurtscheller G (1998).
High-resolution ERD: Cortical imaging of event-related desynchronization during motor imagery.
Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology, 4, 2128-2130.
- [72] **Neuper C**, Pfurtscheller G (1997).
Event-related desynchronization of the rolandic EEG associated with motor imagery.
Biomedizinische Technik 1997, 42, Ergänzungsband 1, 213-215.
- [73] Schloegl A, **Neuper C**, Pfurtscheller G (1997).
Subject specific EEG patterns during motor imagery.
Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology, 4, 1530-1532
- [74] **Neuper C**, Pfurtscheller G (1997).
Post-movement synchronization of beta rhythms in the Rolandic EEG. (Abstract of the 8th International Congress of the International Society for Brain Electromagnetic Topography

(ISBET), Zürich, Switzerland, March 6-8).

Brain Topography, 10 (1), 78-79.

- [75] **Neuper C**, Pfurtscheller G (1997).
ERD and ERS during motor behavior in man. (Abstract of the 3rd European Congress of Psychophysiology, Konstanz, Germany, May 28-31).
Journal of Psychophysiology, 11(4), 375.
- [76] **Neuper C**, Pfurtscheller G (1995).
Event-related desynchronization (ERD) and synchronization (ERS) during movement. (Abstract of the 6th International Congress of the International Society for Brain Electromagnetic Topography (ISBET), Tokushima, Japan, October 10-12).
Brain Topography, 9(2), 136-137.

V. VORTRÄGE

VORTRÄGE AUF EINLADUNG

- [1] **Neuper C** (2008).
Bewegende Gedanken - Möglichkeiten der modernen Hirnforschung.
Vortrag an der *Urania Graz*, 4. März 2008.
- [1] **Neuper C** (2008).
The Role of Brain Oscillations in Brain Computer Interface (BCI) (invited lecture)
Meeting of the Society of Applied Neuroscience. Seville, Spain, May 7-11, 2008.
- [2] **Neuper C**, Kurzmann J, Wriessnegger SC. (2008).
Real-time feedback of regional brain oxygenation using multi-channel near-infrared spectroscopy (NIRS) (invited/symposium)
Meeting of the Society of Applied Neuroscience. Seville, Spain, May 7-11, 2008.
- [2] **Neuper C** (2008).
Neues aus der Neuropsychologie: Was verrät das Gehirn über unsere Gedanken?
Vortrag im Rahmen der *Montagsakademie, Universität Graz*, 28.4.2008.
- [3] **Neuper C** (2008).
On the suitability of direct brain-computer interfaces (BCI) for communication, control of robotic devices, and improvement of cognitive functioning (invited symposium).
XXIX International Congress of Psychology. Berlin, Germany July 20-15, 2008.
- [4] **Neuper C** (2007).
BCIs for Restoration of Movement: The Effects of Imagination and Visual Feedback
PASCAL Workshop 2007 - BCI Meets HCI. Martigny, Switzerland, Apr. 16-17, 2007.
- [5] **Neuper C** (2006).
Brain-Computer Interfaces: Direkte Gehirn-Computer-Kommunikation auf Basis dynamischer Hirnoszillationen.
Vortrag am *Zentrum für Kognitionswissenschaften (ZKW)*, Universität Bremen, 6. Nov. 2006.

- [6] **Neuper C** (2006).
Feedback-regulated motor imagery in Brain-Computer Interface (BCI) application.
(invited/symposium).
15. Deutsches EEG/EP Mapping Meeting, Gießen, 20.-22. Okt. 2006.
- [7] **Neuper C**, Grabner RH, Fink A, Neubauer A (2006).
ERD/ERS during cognitive task performance: its reliability and sensitivity to individual abilities. (invited/symposium).
13th World Congress on Psychophysiology. Istanbul, Turkey, Aug 28- Sept 2, 2006.
- [8] **Neuper C**, Müller-Putz G, Scherer R, Pfurtscheller G (2006).
EEG-based brain-computer interfaces for restoration of movement. (invited speaker)
MAIA Brain-Computer Interfaces Workshop, Challenging Brain-Computer Interfaces: Neural Engineering meets Clinical Needs in Neurorehabilitation. Rome, Italy, Nov. 9-11, 2006.
- [9] **Neuper C** (2005).
“Gehirntraining“ und moderne Neurofeedback-Technologie.
Conference of the European Council for High Ability –Austria, 6. Österreichischer ECHA-Tag, Graz, Austria, 14.-15. April 2005.
- [10] **Neuper C** (2005).
15 years of BCI research at Graz University of Technology: Current projects.
(invited/symposium).
Brain-Computer-Interface Technology. 3rd International Meeting. Rensselaerville, Albany, New York, USA, June 14-19, 2005.
- [11] **Neuper C**, Brunner, C (2005).
Event-related brain oscillations in cognitive and sensorimotor processing. National research report.
EU Action COST B2 ‘ENOC – electrical neuronal oscillations and cognition’ WG Meeting, Istanbul, Turkey, 3rd September 2005.
- [12] **Neuper C**, Grabner R H., Fink A., Neubauer A (2005).
Reliability of EEG event-related (de-)synchronization: long-term stability and consistency across different cognitive tasks. (invited/symposium).
Society of Applied Neuroscience (SAN), Istanbul, Turkey, 31st Aug. - 2nd Sept. 2005.
- [13] **Neuper C** (2004).
Neurofeedback und Brain-Computer Interfaces: Zur Anwendbarkeit moderner Neurofeedback-Technologie in der Lehr-Lernforschung.
Workshop zum *BMBF-Projekt Lehr-Lern-Forschung aus neurowissenschaftlicher Perspektive*, MPI für Bildungsforschung, Berlin, 18.-20. November 2004.
- [14] **Neuper C** (2004).
User’s training to operate a BCI: how can completely paralyzed individuals be trained?
Lecture at the *2nd International Brain-Computer-Interface Workshop and Training Course*, University of Technology Graz, Austria, September 17-18, 2004.
- [15] **Neuper C**, Leeb R, Pfurtscheller G (2004).
Brain-Computer Interfaces and Virtual Reality.
Presence Research Workshop, London, December 5-6, 2004.

- [16] **Neuper C**, Müller GR, Pfurtscheller G (2004).
Restoration of upper extremity function in paralyzed patients: EEG/ECOG-based control of hand grasp. (invited/symposium).
EU Action COST B10 'Brain Damage and Repair' WG Meeting, Lisbon, Portugal, July 8-10, 2004.
- [17] **Neuper C**, Müller GR, Scherer R, Pfurtscheller G (2004).
EEG-based brain-computer interface: using oscillatory EEG changes for verbal communication in locked-in patients (invited speaker/ symposium).
4th Forum of European Neuroscience (FENS), Lisbon, Portugal, July 10-14, 2004.
- [18] **Neuper C**, Neubauer A (2004).
Evidence for individual differences in ERD/ERS studies on human cognition.
(invited/symposium).
12th World Congress on Psychophysiology. Porto Carras, Thessaloniki, Greece, September 18-23, 2004.
- [19] **Neuper C** (2002).
User's training to operate a BCI.
Lecture at the 1st International Brain-Computer-Interface Training Course, University of Technology Graz, Austria, September 27, 2002.
- [20] **Neuper C**, Pfurtscheller G (2002).
ERD/ERS basic principles: evidence for resonance-like frequencies in sensorimotor areas.
(invited/symposium).
11th World Congress on Psychophysiology. Montreal, Canada, July 29-August 3, 2002.
- [21] **Neuper C**. (2002)
Graz BCI: state of the art and clinical application. (invited/symposium).
Brain-Computer-Interfaces for communication and control. 2nd International Meeting. Rensselaerville, Albany, New York, USA, June 12-16, 2002.
- [22] **Neuper C**. (2001).
Mentale Handorthesensteuerung über das EEG – erste Erfahrungen.
Symposium „25 Jahre Anlaufstelle und Arbeitskreis Querschnittlähmungen“.
Deutschsprachige Gesellschaft für Paraplegie, Hamburg, 15.-16. Februar 2001.
- [23] **Neuper C** (2001).
"Cross-talk" between different sensorimotor areas in normals and in patients with motor disorders. (invited/symposium).
EU Action COST B10 'Brain Damage and Repair' WG Meeting, Bled, Slovenia, June 8-9, 2001.
- [24] **Neuper C** (2000).
Monitoring of cortical oscillatory activity related to brain (dys-)function. (invited/symposium)
EU Action COST B10 'Brain Damage and Repair' WG Meeting, Montpellier, France, July 11th, 2000.
- [25] **Neuper C** (1999).
Current trends in Graz Brain-Computer-Interface (BCI) research. (invited/symposium)
Brain-Computer-Interface technology: Theory and practice. 1st International Meeting. Rensselaerville, Albany, New York, USA, June 16–20, 1999.
- [26] **Neuper C** (1999).
Imagination of movement and ERD. (invited/symposium)

- EU Action COST B10 'Brain Damage and Repair' WG Meeting*, Institute for Biomedical Engineering, Graz, April, 29–May, 1, 1999.
- [27] **Neuper C** (1998).
"Brain-Computer-Interface": Computersteuerung durch Gedanken?
Institut für Psychologie, Universität Graz, 24. März 1998.
- [28] **Neuper C** and Pfurtscheller G (1998).
Event-related desynchronization (ERD) and synchronization (ERS) of Rolandic EEG rhythms during motor behavior (invited/symposium)
9th World Congress of Psychophysiology, Taormina, Italy, Sept. 14-19, 1998.
- [29] **Neuper C**(1998).
Beeinflussung der rhythmischen EEG-Aktivität durch motorische Vorstellungen – Grundlage für das „Grazer Brain-Computer Interface“.
Institut für Medizinische Psychologie und Verhaltensneurobiologie, Universität Tübingen, 16. Februar 1998.
- [30] **Neuper C**, Pfurtscheller, G (1997).
ERD and ERS during motor behavior in man. (invited/symposium)
3rd European Congress of Psychophysiology, University of Konstanz, Germany, May 28-31, 1997.
- [31] **Neuper C** and Pfurtscheller G (1995).
Event-related desynchronization (ERD) and synchronization (ERS) during movement (invited lecture).
6th International Congress of the International Society for Brain Electromagnetic Topography (ISBET), Tokushima, Japan, October 10-12, 1995.
- [32] **Neuper C** (1994).
Event-related desynchronization (ERD) bei motorischen Prozessen.
Abschluss-Symposium zum Forschungsschwerpunktprojekt "Erforschung komplexer Neuronaler Systeme im Menschen", Institut für Psychologie, Universität Salzburg, 4. November 1994.

WEITERE KONGRESSVORTRÄGE UND POSTER

- [3] Enzinger C, Grieshofer P, Reiter G, Scherer R, Ropele S, Pargfrieder C, Pegritz S, Wurm W, Linderl-Madrutter R, Kollreider A, Ram D, Loitfelder M, **Neuper C**, Fazekas F (2008).
Insights into changes in movement control associated with a novel robotic-assisted hand rehabilitation programme after stroke by functional MRI.
17th European Stroke Conference, Nice, France, 13 – 16 May 2008.
- [4] Gerganov A, Braunstein V, Kaiser V, Popivanov I, Brunner C., **Neuper C**, Stamenov M. (2008).
Priming bilingual brain with correct and incongruent translations of true and false cognates in English-German during a translation task: An EEG and eye tracking study.
Ghent Workshop on Bilingualism, Ghent, 18th Sept 2008 (Poster).
- [1] Loitfelder M, Ropele S, **Neuper C**, Petrovic K, Gorani F, Fuchs S, Ebner F, Fazekas F, Enzinger C (2008).
Kortikale Reorganisation in kognitiven Domänen bei Multipler Sklerose.

- Abstract der 6. Jahrestagung der Österreichischen Gesellschaft für Neurologie, Innsbruck, 6.-9. Februar 2008 (Poster).
- [2] Pargfrieder C, Pegritz S, Grieshofer P, Wurm W, Linderl-Madrutter R, Reiter G, Scherer R, Kollreider A, Ram D, Ropele S, Loitfelder M, **Neuper C**, F. Fazekas F, Enzinger C (2008). Eine explorative Studie zum Effekt der roboterunterstützten Rehabilitation der Hand nach Schlaganfall auf kortikale und subkortikale Repräsentanzen der Handbewegung.
Abstract der 6. Jahrestagung der Österreichischen Gesellschaft für Neurologie, Innsbruck, 6.-9. Februar 2008 (Poster).
- [5] **Neuper C**, Scherer R, Reiner M, Pfurtscheller G (2005). Imagery of motor actions: effects of kinaesthetic versus visual-motor mode of imagery on single-trial EEG.
Brain-Computer-Interface Technology. 3rd International Meeting. Rensselaerville, Albany, New York, USA, June 14-19, 2005.
- [6] **Neuper C**, Grabner RH, Fink A, Stipacek A, Neubauer AC (2004). Neurale Effizienz bei unterschiedlichen Arbeitsgedächtnisanforderungen.
44. Kongress der Deutschen Gesellschaft für Psychologie (DGPs), Göttingen, Deutschland, 26.-30. September 2004.
- [7] **Neuper C**, Edlinger G, Pfurtscheller G (1999). Analyse der topographischen Verteilung bewegungsspezifischer Beta-Oszillationen im EEG mit „Hochauflösendem ERD/ERS-Mapping“.
4. Wissenschaftliche Tagung der Österreichischen Gesellschaft für Psychologie. Graz, 3.-4. Dezember 1999.
- [8] **Neuper C**, Schlögl A, Pfurtscheller G (1999). Cortical activation during motor imagery studied with single trial EEG analysis.
11th International Congress of EMG and clin. Neurophysiol., Prague, Sept. 7-11, 1999.
- [9] **Neuper C**, Strein T, Pfurtscheller G (1997). Beeinflussung der elektrischen Hirnaktivität durch motorische Vorstellungen.
3. Wissenschaftliche Tagung der Österreichischen Gesellschaft für Psychologie. Universität Salzburg, 5.-7. Dezember 1997.
- [10] **Neuper C**, Pfurtscheller G (1997). Post-movement synchronization of beta rhythms in the Rolandic EEG. 8th International World Congress of the International Society for Brain Electromagnetic Topography (ISBET), ETH Zurich, Switzerland, March 6-8, 1997.
- [11] **Neuper C** (1996). Dynamische EEG-Analyse mit der ERD-Methode.
Jahrestagung der Österreichischen Gesellschaft für Klinische Neurophysiologie, Universität Klagenfurt, 22. Juni 1996.
- [12] **Neuper C**, Pfurtscheller G (1996). ERD and ERS during foot movement in man.
Third International Hans Berger Congress, Friedrich Schiller University, Jena, Germany, October 3-6, 1996.